



Pop Up Tent *ECO STRUCTURES*

WANT TO KNOW MORE? ecostructures.com.au
24 Marine Terrace,
Fremantle,
Western Australia, 6160
+61 8 9193 8007

  @EcoStructures

THE Pop Up Tent

The Pop-Up Eco Tent is changing the glamping landscape with a smart solution that delivers the ultimate versatility and durability to your site - allowing you to maximise your yearly returns.



NO APPROVALS REQUIRED

The Pop-Up Eco Tent thrives in remote locations where permanent tents aren't required, offering a quick accommodation solution that treats guests to a high level of comfort.



FAST INSTALLATION

Installation takes on average 8 hours with Eco Structures providing an extensive installation guide.



FAST ROI

Ability to charge high nightly rate equals fast return on investment.




ECO FRIENDLY

Our Pop Up tents reduce carbon footprint through the flat pack freightable design, they leave minimal impact on the ground as they are raised and the product incorporates Eco Structures GOTS Certified - Global Organic Textile Fabric, and endlessly recyclable structural steel system.




Roof Fly Options: PVC
Colour-Beige
Size: Clients ideally require 8m free width to install a Pop Up Tent.



RT 12oz Canvas Body
Colour-Red Sand


Mesh Fabric windows and doors



Ply wood Flooring



WPC Decking
Colour-Teak



Hot dipped galvanised structural steel frame



Adjustable Feet. Perfect for uneven ground (up to 100mm)

Transport Box
3.6m x 1m x 1m
Designed to deploy as the floor




OPTION 1

Standard Base

From

\$15,780 AUD

Optional Vinyl Flooring	\$750 AUD
No Bathkit Available	-
Internal Area 3.6m x 3.6m	13 sqm
Deck Area 1.8m x 3.6m	6.5 sqm
Overall Roof Area	38.7 sqm
Height (Internal floor to wall)	2.3m
Height (Internal floor to ceiling)	2.9m
Height Overall	2.9m
Imperial Area 11.8ft x 11.8ft	144sqf
Decking Area 6ft x 12 ft	72sqf



Floor Plans are presented are for illustrative purposes only.

+61 8 9193 8007 | ecostructures.com.au | sales@ecostructures.com.au


OPTION 2

1200 Rear Enclosure

From

\$19,780 AUD

Optional Vinyl Flooring	\$1,026 AUD
Optional BathKit (Installed Onsite)	\$4,300 AUD
Internal Area 3.6m x 4.8m	17.5 sqm
Deck Area 1.8m x 3.6m	6.5 sqm
Overall Roof Area	38.7 sqm
Height (Internal floor to enclosure)	2.15m
Height (Internal floor to wall)	2.3m
Height Overall	2.9m
Imperial Size 15.7ft x 12ft	192sqf
Decking area 6ft x 12 ft	72sqf



Floor Plans are presented are for illustrative purposes only.

+61 8 9193 8007 | ecostructures.com.au | sales@ecostructures.com.au


OPTION 3

x2 900mm Enclosures

From

\$23,780 AUD

Optional Vinyl Flooring	\$1,140 AUD
No Bathkit Available	-
Internal Area 5.4m x 3.6m	19.5 sqm
Deck Area 1.8m x 3.6m	6.5 sqm
Overall Roof Area	38.7 sqm
Height (Internal floor to wall)	2.3m
Height (Internal floor to ceiling)	2.9m
Height Overall	2.9m
Imperial Area 17.7ft x 11.8ft	216sqf
Decking Area 6ft x 12 ft	72sqf



Floor Plans are presented are for illustrative purposes only.

+61 8 9193 8007 | ecostructures.com.au | sales@ecostructures.com.au


OPTION 4

900mm + 1200mm Enclosure

From

\$23,780 AUD

Optional Vinyl Flooring	\$1,197 AUD
Optional BathKit (Installed Onsite)	\$4,300 AUD
Internal Area 4.8m x 5.4m	21 sqm
Deck Area 1.8m x 3.6m	6.5 sqm
Overall Roof Area	38.7 sqm
Height (Internal floor to enclosure)	2.15m
Height (Internal floor to wall)	2.3m
Height Overall	2.9m
Imperial Size 15.7ft x 17.7ft	216sqf
Decking area 6ft x 12 ft	72sqf



Floor Plans are presented are for illustrative purposes only.

+61 8 9193 8007 | ecostructures.com.au | sales@ecostructures.com.au

INCLUSIONS

PRODUCT INCLUSIONS


- Sub floor hot tipped galvanised steel structure as transport Box
- Ply wood internal flooring WPC externally
- 22 adjustable feet
- Galvanised structural steel frame and poles
- PVC roofing ropes, rigging and ratchet straps

SERVICE INCLUSIONS


- Warranties
- Installation Guide- Step by Step
- Shipping support to your choice of port (additional charges)
- Local transport from port to site (To be advised as per country & project specifications)

PRODUCT SPECIFICATIONS


Pale Beige



Red Sand



Teak



SERVICE EXCLUSIONS

- Import duties & clearance
- Connections to power, water and other infrastructural needs
- Land & Access- *Site preparation as per our suggestions*
- Local Labour- *Eco Structures can provide construction managers*
- Furniture, cabinetry etc.

WARRANTY



Floor Joist and Bearers- Blue Scope Lysaght 200C

10 Year Limited Warranty

20 Year Estimated Life



Hot Dipped Galvanized Structural Steel Frame

15 Year Limited Warranty

25-50 Year Estimated Life



RT12 Canvas

5 Year Limited Warranty

10-12 Year Estimated Life



Flooring WPC External Board

5 Year Limited Warranty

10 Year Estimated Life




VALUE ADDS


BATHKIT ADD ON

- Steel Frame
- Grey Concrete Look Wall Panel
- Water Closet, Seat & Cover
- 600x2000mm10mm Fixed Glass
- Grey Shower Base Slip Resistant with Drain Wastes
- 750mm Freestanding Vanity with Open Shelf Soft Close Drawer- Timber look
- Matte Black Basin Mixer
- Matte Black Shower Mixer
- Matte Black Shower Rail
- Matte Black Towel Rail
- Matte Black Shower Shelf
- Matte Black Toilet Roll Holder
- Matte Black 600mm Round Wall Mirror with PU Strap
- Does not include plumbing pipes, electrical or installation


VINYL FLOORING ADD ON



Dark Oak



Smoked Oak



Washed Pine

FREQUENTLY ASKED

Pop Up Tent Questions



LEAD TIME

90-120 days to manufacture
4 weeks shipping
1 day to install



INTERNAL FLOORING

We supply ply wood flooring as standard, however you may choose to vinyl, tile or deck the floor.



GROUND CONDITIONS

The site chosen for install must be a level site. Each footing at the base has 100mm of adjustment in the event of a slightly unlevel site.



CARE & MAINTENANCE

The maintenance required for Pop Up Tents is minimal. Store bought products can be used to clean any marks.



REPLACEMENT PARTS

We offer replacement canvas panels, decking and roof flys for when there is a need. Just remove the current panel or part and replace with a new panel.



BED SIZE

A double or queen sized bed can fit perfectly. The Distance from the back wall to the pole is 2200mm (90.5in)



HEATING & COOLING

Pop Up Tents can be heated or cooled with split system airconditioning, or a fireplace for the cooler climates.



WIND & FIRE RATINGS

The pop-up is rated to 100km/hr winds. When winds are expected to be higher than this, it is advised to dismantle the pop-up as warranty is removed.



STRUCTURAL SYSTEM

Hot dipped galvanised structural steel frame, with 15 Years Warranty.



ECO STRUCTURES

24 Marine Terrace Fremantle
WA
Australia
+61 8 9193 8007

sales@ecostructures.com.au

A company of The WABi Group



ECO STRUCTURES
LUXURY EXPERIENTIAL ACCOMMODATION

W A B I
SIMPLER. SMARTER. STRONGER

W A B I
DESIGN

W A B I
CONSTRUCTIONS

W A B I
WINDOWS